# **JDIP** News





#### Editors

Tiffany Cunningham (tac18@psu.edu)

lan Gardner (iagardner@ucdavis.edu)

> Vivek Kapur (vkapur@psu.edu)

Ken Olson (keolson@prodigy.net)

JDIP News is published periodically to enhance intramural communications and ensure that JDIP participants and stakeholders are updated on news of relevance to our community.

Please direct any comments, contributions and suggestions via email to: Vivek Kapur, JDIP Program Director, at vkapur@psu.edu



National Institute of Food and Agriculture



Funding for JDIP is provided through competitive award number 2008-55620-18710 from the Animal Biosecurity Program of USDA-NIFA.

## In This Issue:

	<u>Page</u>
APHIS-JDIP Vaccine Testing Project Update	1
JDIP Year 6 Request for Applications Update	2
Diagnostics Test Standardization Project Update	4
JDIP's Annual Meeting at the JAM – July 11-15, 2010 in Denver, CO	5
Cornell Summer Program 2010	6
USDA - NIFA Update	7
Bovine TB Coordinated Agricultural Program Proposal	8
New Horizons Workshop at American Association of Bovine Practitio (AABP)	
General Summary of the 2009 Johne's Disease Fecal Proficiency Panel	9
Upcoming Meetings and Events	14
Johne's Disease in Print	
• Producer Press	15
• Peer Review – Johne's Disease	15
• Peer Review – Crohn's Disease	20

## APHIS-JDIP Vaccine Testing Project Update

By: Tiffany Cunningham, J.D., Robab Katani, B.S., and Lingling Li, B.S.

The APHIS-JDIP vaccine testing project is moving along as planned. Currently, JDIP is in Phase I of the project. Dr. Vivek Kapur's JDIP laboratory at The Pennsylvania State University has numbered the received cultures and grown the received stains. A shipping schedule has been established with the laboratories of Dr. Srinand Sreevatsan at the University of Minnesota and Dr. Adel Talaat at the University of Wisconsin to distribute the stains to the candidate vaccine testing centers for blinded evaluation. Dr. Kapur's laboratory has already distributed a few strains, which have reached the OD=0.5, to the laboratories of Drs. Sreevatsan and Talaat for further research. Testing will be performed in batches of 5 isolates in each laboratory, and vaccine candidates may be re-tested as needed. The JDIP Epidemiology and Biostatistics Core at Cornell University will analyze the results of the testing in a blinded manner and identify the "Best Candidates." Once the analysis is complete and the blind is opened, all of the program participants will receive the data at the same time.

In summary, Phase I of the three-stage evaluation is going according to plan. It is expected that this rigorous screening process will identify one or more viable candidates to move forward for commercial development. Additional information is available at <u>www.jdip.org</u> if you click on the "Research Resources link in the left-hand column and then on the "Vaccine Project sub-link."

## JDIP Year 6 Request for Applications Update

#### By: Tiffany Cunningham, J.D.

The JDIP received and reviewed a total of 23 proposals in response to the Year 6 Request for Applications (RFA) with a total funding request exceeding \$2.1 million. For the current funding cycle a total of \$700,000 were available for support of JDIP programs and operations.

All of the submitted proposals were reviewed externally, as well as by the JDIP Scientific Advisory Board (SAB) at an in-person meeting. Members of the External Advisory Board (EAB) as well as the United States Department of Agriculture (USDA) program staff were in attendance at the SAB meeting to help provide input, oversight and observe the review process. As in past cycles, anyone, who may have had a conflict of interest relative to any of the proposals being reviewed, was excluded from the discussions and was not present in the room during the discussion. The JDIP Executive Committee (EC) compiled summary statements from the SAB meeting and based on the reviews and program priorities, made funding recommendations for the full EAB to consider.



*Review of the JDIP Year 6 RFA* (pictured on screen: Dr. Schukken; pictured clockwise: Drs. Paustian, Bermudez, Olson, Hovingh, Hines II, Patton, Sreevatsan, Lein, Kapur, Coussens, Grohn, Gardner, Johnson, McDonald, and Carter)

The diagnostics projects that were submitted were not as closely aligned to the criteria of the RFA as the EC had hoped. The RFA focused on projects that would validate and benchmark the performance standards of diagnostic tests and platforms that have been developed over the past five years. Submitting investigators were encouraged to work with Professors Ian Gardner (JDIP-EC) and Srinand Sreevatsan (JDIP Diagnostics Project Leader). They participated in a special conference call and a meeting at the end of March to develop a coordinated approach to address these major community needs for improved diagnostics for Johne's disease. Any resulting project proposals will undergo the same peer review as well as programmatic and EAB oversight. Please see the Diagnostics Test Standardization Project Update on page 4 for further information.

(continued on page 3)



JDIP would like to thank all of the internal and external reviewers from the JDIP Year 6 RFA for their hard work and dedication. The review process would not be possible without their continued support. (continued from page 2)

Based on a review of the proposals, summary statements, and recommendations by the EC, the EAB approved the following projects for support during year 6 (listed alphabetically by the Principal Investigator's last name):

Principal Investigator	Principal Investigator Institution	Co-Principal Investigator	Co-Principal Investigator Institution	Total Award
Bermudez, Luiz	Oregon State University	N/A	N/A	\$74,943
Chacon, Ofelia	University of Nebraska- Lincoln	N/A	N/A	\$49,779
Coussens, Paul	Michigan State University	Barletta, Raul	University of Nebraska-Lincoln	TBD
Grohn, Yrjo	Cornell University	Gardner, Ian	University of California, Davis	TBD
		Schukken, Ynte	Cornell University	
McDonald, Jeannette	The Board of Regents of the University of Wisconsin	N/A	N/A	TBD
Neibergs, Holly	Washington State University	N/A	N/A	\$57,134
Schukken, Ynte	Cornell University	Gardner, Ian	University of California, Davis	TBD
		Grohn, Yrjo	Cornell University	
		Wells, Scott	University of Minnesota	
		Wu, Ching Ching	Purdue University	
Talaat, Adel	The Board of Regents of the University of Wisconsin	N/A	N/A	\$70,250

\*\*\* Please note that all sub-awards for the projects above are in process and have not been executed at this point. \*\*\*

Of the aforementioned recipients, the JDIP would like to welcome and introduce Dr. Holly Neiberg's developmental project entitled "Identification of Mutations in Genes Associated with Pathogenesis of *Mycobacterium avium* subspecies *paratuberculosis* Tissue Infection." The goal of Dr. Holly Neiberg's one-year developmental project is to prevent and control Johne's disease to understand how cattle become infected with *Mycobacterium avium* subspecies *paratuberculosis* (*Map*). The proposed research will use seek to identify differences in two genes that are located in a region that is highly associated with *Map* tissue infection so that they can better understand how some cattle are resistant to Johne's disease.

### *Diagnostics Test Standardization Project Update* By: Ian Gardner, Ph.D.

Eleven JDIP members, Drs. Douwe Bakker, Michael Collins, Shigetoshi Eda, Ian Gardner, Jerry Gavalchin, Beth Harris, Vivek Kapur, Jason Lombard, Søren Nielsen, David Smith, and Raymond Sweeney, met in Orlando, Florida for three days to discuss and reach a consensus about reporting standards for test evaluation studies for paratuberculosis in cattle, sheep, goats and deer. The Johne's initiative is based on principles developed in human medicine (STARD: **STA**ndards for **R**eporting of **D**iagnostic Accuracy) to improve the completeness and transparency of reporting of diagnostic test evaluations based on samples from patients with a target condition of interest.

Important conclusions from the Orlando meeting were:

- Principles for reporting developed in the meeting are broadly applicable to other infectious diseases affecting animals, e.g. tuberculosis
- A single document will cover items deemed important for reporting of validation studies of herd and individual animal tests with appropriate examples from paratuberculosis papers, wherever possible
- Design considerations would be dealt with separately. Søren Nielsen has agreed to lead this aspect of the project
- Development of a repository of samples that could be used for test validation studies was considered to be a priority area for JDIP diagnostics

The group, with the help of two other members who were unable to attend (Drs. Srinand Sreevatsan and Richard Whittington), agreed to finalize the work over the next three months and submit a manuscript to Veterinary Microbiology. Veterinary Microbiology has previously published the manuscript on experimental challenge models for Johne's disease which was another JDIP-led multinational initiative.



pictured left to right: Drs. Smith, Eda, Nielsen, Lombard, Bakker, and Gardner



pictured left to right: Drs. Nielsen, Smith, Lombard, Bakker, Gardner and Eda

[not pictured: Drs. Collins, Gavalchin, Harris, Kapur and Sweeney]

JDIP's Annual Meeting at the JAM – July 11-15, 2010 in Denver, CO By: Ken Olson, Ph.D.



The **2010 JDIP Annual Conference** will be held in conjunction with the Joint Annual Meeting (JAM) of the American Dairy Science Association (ADSA), Poultry Science Association (PSA), Asociación Mexicana de Producción (AMPA), Canadian Society of Animal Science (CSAS), American Society of Animal Science (ASAS) and ASAS Western Section (WSASAS), from July 11 to 15, 2010 in Denver, CO. JDIP and Johne's related sessions will be held on Sunday, July 11<sup>th</sup> and Monday, July 12<sup>th</sup>. Sunday's session, beginning at 1 pm in the **Grand Hyatt Denver** at 1750 Welton Street, will focus on reports and plans related to the JDIP Core and Project areas. Monday will include poster and oral presentations of research results. The JDIP/Johne's sessions will be included in the regular JAM meeting schedule at the Convention Center as part of the Animal Health program. The JDIP/Johne's poster session begins at 7:30 am on Monday with JDIP/Johne's oral presentation sections Monday morning and afternoon. There will be many concurrent session on Monday, but both JDIP/Johne's sessions will include only Johne's related papers.

Meeting with the JAM provides the opportunity to participate in a major scientific meeting as well as network with scientists and industry professionals from around the world. The JAM normally draws about 2,600 participants from 50 or more nations. Arrangements have been made for a special one-day JDIP registration for Monday, but JDIP members are encouraged to register for and participate in the full scientific meeting. Details about the JDIP registration special are available on <a href="https://www.jdip.org">www.jdip.org</a> under "Annual Conferences", "July 2010". Detailed JAM information and the on-line registration section may be found at <a href="http://dsa.psa.ampa.csas.asas.org/meetings/2010/">http://dsa.psa.ampa.csas.asas.org/meetings/2010/</a>

If you have additional questions related to the meeting, please contact: Dr. Ken Olson, JDIP Outreach Coordinator Ph: 630-237-4961 e-mail: keolson@prodigy.net

## Cornell Summer Program 2010: "Tools for Infectious Disease Epidemiology: Diagnosis, Modeling and Risk" Module I: August 2, 9am – August 4, 12pm Module II: August 4, 1pm – August 6, 4pm

Module II: August 4, 1pm – August 6, 4pm College of Veterinary Medicine Cornell University Ithaca, NY

Introduction:

Cornell University is again interested in giving their summer course "Tools for Infectious-Disease Epidemiology." The course contents are distributed among two modules: 1) risk assessment (2 and a half days) and 2) infectious-disease models (2 and a half days). This year Cornell University has modified the workshop to make each module independent so it can be taken either separately or both modules jointly. The course cost is the same as in 2008: each module is \$500 or both modules are jointly \$900. The student fees are \$350 for an individual module or \$600 for both modules.

This course is designed for veterinarians, other animal-health professionals, and graduate students who need proficiency in infectious-disease epidemiology. Participants are expected to come to the course with a basic understanding of infectious-disease biology and diagnostic-test terminology.

#### Faculty:

Yrjö T. Gröhn, Cornell University; Hussni O. Mohammed, Cornell University; Daryl V. Nydam, Cornell University; Ynte H. Schukken, Cornell University; Cristina Lanzas, Cornell University

Schedule - includes lunch, a.m. & p.m. breaks

Module I: Risk Analysis (August 2, 9 am – August 4, noon)

Day 1:

- Morning: **Concepts in Risk Analysis**. Microbial, Animal Health, Ecological risk, and Zoonotic assessment
- Afternoon: **Laboratory session**—Risk-assessment tools: Scenario pathways; qualitative and quantitative methods in risk assessment. Development of qualitative models (case-study *Cryptosporidium* in man and animals). Deterministic approaches.

Day 2:

- Morning: **Exposure assessment and Dose-response models**: Methods, challenges and application using stochastic approaches and simulations. Application of the concepts using @Risk.
- Afternoon: **Laboratory session—Uncertainty and variability** Integration of exposure assessment and dose response into simulation models for the case-study. Account for uncertainty and variability.

Day 3:

Morning: **Risk characterization and Mitigation** Sensitivity analysis. Application and interpretation in the case-study using risk based metrics.

<u>Module II: Infectious Disease Modeling</u> (August 4, 1pm – August 6, 4pm)

Day 1:

Afternoon: Introduction to Infectious disease modeling: SIR models, Reproduction ratio, Herd Immunity.

**Practical:** BHV1 infection in a dairy herd, Simple spreadsheet model.

Day 2:

- Morning: **Practical:** Setting up and interpreting simple models in ModelMaker Modeling Dynamics of Salmonella infection in a dairy herd.
- Afternoon: Impact of vaccination on the dynamics of infectious diseases Modeling the impact of vaccines in a dairy herd: Salmonella example.

#### Day 3:

Morning:	Stochastic models – small sample size, fade out. Case study: The risk and
	control of Salmonella outbreaks in calf-raising operations.
	Practical: ModelMaker practical related to Salmonella
Afternoon:	Mathematical modeling beyond SIR models for foodborne pathogens

Metapopulation models and within host models Example: antimicrobial resistance dissemination

**Practical:** Metapopulation models and within host models Example: antimicrobial resistance dissemination

Fees

Participants may enroll in Module I (\$500) or Module II (\$500) separately or combined (\$900). Students fee \$350 per part and \$600 combined. Accommodations are not included.

Further Information and Registration:

Please direct inquiries to: Amanda Mott, Cornell College of Veterinary Medicine, S2 169 VEC, Cornell University, Ithaca, NY, 14853-6401, Telephone: 607-253-3200, Fax: 607-253-3198, Email: <a href="mailto:amm36@cornell.edu">amm36@cornell.edu</a> -OR-

View it online at http://www.vet.cornell.edu/education/ConEd.htm

### **USDA-NIFA Update**

By: Vivek Kapur, BVSc, Ph.D.

Unless you have been in hiding or have just returned from intergalactic space travel during the past three weeks, you are probably aware that the USDA's long-awaited AFRI RFA for FY2010 has been released.

The news was mixed for those of us with an interest in Johne's research. The good news is that JDIP will be able to submit an application for release of its final year of support for the Phase II project. As such, we will have another RFA coming out later this year. The not-so-good news is that the total funding in the AFRI Foundational Animal Health program area was \$5 million, which is almost half as much of what was available last year in the Animal Health program (\$9 million). This is where many of us would submit individual investigator applications in Johne's related research. JDIP investigators had a remarkable run of success in obtaining grants from this program over the past many cycles. The other point of note is that primary AFRI funding emphasis this year has moved into other USDA-NIFA priority areas, such as climate change, global food security and hunger, sustainable energy, childhood obesity, and food safety. However, these areas do not include a portfolio under which Johne's research can be submitted.

While the USDA competitive programs are embarking on a new model that seeks larger projects with greater focus and greater impact on select USDA-NIFA goals, it is too early to ascertain the real impact or unintended consequences of this sea of change in funding approach for animal health programs by the USDA. The good news is that we have a strong and vibrant group of National Program Leaders, who are willing and waiting to make prioritization decisions for the 2011 Foundational Animal Health programs, and NIFA is encouraging stakeholder input on the upcoming RFA. Hence, now is the time to consider providing your comments. My own feeling is that there is absolutely no sense in fighting what is clearly a well-intentioned program and long overdue move towards larger, more focused and impactful projects. We should work with the system in helping set priorities that match the interests of our real stakeholders. I would similarly urge members of the JDIP community to share their comments and perspectives with the National Program Leaders or directly through the NIFA web-site.

As they say, stay tuned!

#### Bovine TB Coordinated Agricultural Program Proposal

#### By: Scott Wells, Ph.D.

In response to the recent USDA National Institute of Food and Agriculture RFA in the area of Global Food Security, we are developing a proposal entitled "Tuberculosis Coordinated Agricultural Program" (**TB-CAP**). This TB-CAP proposal has grown out of the concern from cattle industry representatives, government agencies, and public health officials that the US is experiencing a resurgence of *M. bovis* that will have devastating economic effects, cause a disruption or severe restrictions in movements of cattle including exports, and have profound effects on producers who own positive herds and must suffer depopulation or quarantine. To address these concerns, we are assembling US scientists concerned with mycobacterial diseases and their impacts on society. An International External Advisory Board and numerous international collaborators complement this scientific team. These associations will ensure that our efforts are in step with and take full advantage of initiatives and resources in these countries. The group has been formed around three major highly integrated themes:

- 1) Vaccines, Diagnostics and Immunopathogenesis
- 2) Epidemiology and Ecology, including Wildlife Issues
- 3) Education/Extension/Social and Human Dimensions

Projects within each of these themes are designed to address the major issues surrounding detection and control of *M. bovis* infection and how this fastidious organism moves and spreads within both cattle and wildlife populations. We propose that by proper application of diagnostics and effective vaccines, through understanding of pathogenesis and transmission within and between populations, and through public education, we can stop the resurgence of *M. bovis* in the US.

The next step in proposal development is for interested investigators to submit projects to theme lead authors, due by May 15th. These projects should be no more than 5 pages, preferably less, and follow the proposal guidelines. Please contact us if interested in joining our developing integrated research and educational team so we can put you in contact with the appropriate lead authors.

Dr. Paul Coussens, Overall Project Director, Michigan State University, coussens@msu.edu Dr. Scott Wells, Project Co-Director, University of Minnesota, wells023@umn.edu

#### New Horizons Workshop at American Association of Bovine Practitioners (AABP) By: Ken Olson, Ph.D.

"New Horizons in Johne's Disease Control" workshops have been held in conjunction with the last two JDIP Annual Conferences. The workshops, designed for veterinarians and producers, have proven very popular. They focus on the application of new technology and management practices that work in the field. This year's workshop will be held on August 17 and 18 as a "Pre-conference Seminar" at the annual meeting of the American Association of Bovine Practitioners (AABP) in Albuquerque, NM. Details on the workshop and registration information is available on the website <u>www.aabp.com</u> under the "Conference" menu. If you are a Johne's Certified Veterinarian in your state's Johne's Disease Control Program, attendance at this seminar will count towards your "recertification."

## General Summary of the 2009 Johne's Disease Fecal **Proficiency Panel**

By: Dr. Suelee Robbe-Austerman

#### Overview

A total of 64 laboratories participated in the 2009 Johne's Disease Fecal Proficiency Panel (6 Canadian, 3 European Union and 55 USA laboratories). In the USA, laboratories must order separate panels and demonstrate proficiency for each method they wish to use for the Johne's Disease National Program. Table 1 details the number of individual and pooled panels shipped and the pass/fail status for each method. Laboratories were allowed to order multiple panels for each method and were notified of their preliminary pass/fail status upon submission of their results. They were given the opportunity to retake a failed proficiency panel and nearly all chose to do so. Results in Table 1 include retests.

			/			
Pooled Panel Total	51 (98%)	0	1 (2%)	52		
HEY	6(100%)	0	0	6		
Liquid	20 (100%)	0	0	20		
Direct PCR	25 (96%)	0	1 (4%)	26		
Pooling Panel						
Individual Panel Total	106 (81%)	18 (14%)	7 (5%)	131		
HEY Solid Media (all)	32 (89%)	3 (8%)	1 (3%)	36		
TREK	26 (96%)	1 (4%)		27		
MGIT 960	6 (43%)	4 (29%)	4 (29%)	14		
BACTEC 460	2 (100%)	0		2		
Liquid Systems (all)	34 (79%)	5 (12%)	4 (9%)	43		
In House / Other	10 (59%)	7 (41%)		17		
Applied Biosystems	6 (100%)	0		6		
Tetracore	24 (89%)	3 (11%)		27		
Direct PCR (all)	40 (77%)	10 (19%)	2 (4%)	52		
Individual Panel						
	(%)	passing (%)	(%)	Shipped		
	# passed	# not	returned	Total		
	# not					

T.L. 4 0 ultat of the 2000 Johns's Dises -----Panel.

\* In order to pass results must meet the criteria listed in the 2006 Uniform Program Standards for the Voluntary Bovine Johne's Disease Control Program.

#### Individual Panel Description

Each individual panel consisted of 26 samples with one sample identified as a positive control. Positive samples were collected from naturally infected cows and negative samples were from individual animals residing in non-infected herds. Approximately 4 liters of fecal material were collected per animal and aliguoted as soon as possible in individual vials then stored at -70°C. All 131 individual panels contained the same set of samples. Panels were assembled in groups, each with a different key (See Table 6 at the end of this report for the key). Table 2 shows the categorical (positive/negative) summary performance of each method by cow ID. The culture/PCR error rates were similar with the exception of the low shedding samples from cows 3000 and 86 where liquid media outperformed both direct PCR and solid culture. Despite similar levels of bacteria recovered using solid or liquid media from cow 3000 and 86 (liquid culture average days to positive was 36.4 and 37.0 respectively), direct PCR failed to detect over 50% of samples from cow 86.

0	#Vials/	Date	State of	Shedding	Avg. CFU/	% Samples		Classified <sup>2</sup>
Cow ID	Panel	Collected	Origin	Status	Tube <sup>1</sup>	Direct PCR	Solid	Liquid
ST10	2	Apr-08	GA	Neg	0	96%	98%	97%
247	2	Oct-08	ND	Neg	0	98%	100%	96%
492903	2	Apr-08	MT	Neg	0	98%	100%	97%
492922 <sup>3</sup>	1	Apr-08	MT	Neg	0	96%	100%	97%
3000	1	Apr-08	IA	Low	1.5	72%	69%	87%
86	2	Oct-08	IA	Low	2	47%	73%	88%
14	2	Apr-08	NY	Low	3	96%	92%	91%
420	2	Apr-08	IA	Low	4	92%	89%	95%
311	2	Apr-08	NY	High	325	99%	98%	100%
339	2	Apr-08	NY	High	1000	99%	94%	97%
455	2	Apr-08	IA	High	1775	99%	98%	99%
5	2	Apr-08	IA	High	3350	98%	97%	99%
446 <sup>4</sup>	2	Apr-08	IA	High	5625	100%	100%	100%
392	2	Apr-08	IA	High	7275	100%	97%	99%

Table 2. Composition of the 2009 Johne's Disease Fecal Proficiency Panel, and the overall categorical summary results per cow for each method performed by laboratories.

<sup>1</sup> Colony counts were determined by NVSL, averaging results from 3 cultures for each cow. For high shedders the inoculum was diluted 10<sup>-x</sup> until colony counts were under 100 per tube.

<sup>2</sup> Samples were classified as positive or negative for MAP by the laboratories. If the sample was represented twice in the panel, it was counted twice. For example Cow ST10 had 2 samples in each panel and 50 panels were submitted using direct PCR (2x50 = 100).

<sup>3</sup> Sample was spiked with Mycobacterium fortuitum.

<sup>4</sup> One of the two samples from this cow was identified as the positive control.


According to the 2006 Johne's Disease Uniform Methods and Rules, laboratories must correctly classify all high shedding samples as positive, all negative samples as negative and misidentify 4 or fewer (<30%) non-critical samples. <u>Table 3</u> lists the specific reasons laboratories failed to pass the proficiency panel for each method. Misclassifying negative samples as positive continues to be the most common reason for failing a proficiency test. Reports of contamination overgrowth were low and sporadic.

<u>Figure 1</u> compares the performance of each method by the number of samples misclassified. TREK media had the highest number of panels, 22/27 (81%) that correctly classified all 25 samples followed by solid media 13/33 (39%); MGIT 3/10 (30%); and direct PCR 9/49 (18%). Both solid media and direct PCR tended to indentify low shedding samples as negative suggesting those samples were near the detection limit for these methods.

Table 3. Reasons laboratories failed the 2009 Johne's Disease Fecal Proficiency Panel. Laboratories were required to correctly identify all the negative samples as negative and all the high shedding samples as positive (critical samples). They also were required to correctly classify at least 70% of all samples.

			Direct	TREK	MGIT	
	Direct PCR	Direct	PCR (In	liquid	liquid	HEY solid
	(Tetracore)	PCR (AB)	house)	media	media	media
Misclassified a negative sample as positive	2	0	3	1	1	0
Missed 5 or more low/ moderate shedders (lack of sensitivity)	1	0	1	0	1	1
Misclassified a high shedding sample as negative	0	0	1	0	0	1
A critical sample was contaminated	NA	NA	NA	0	0	1
Multiple reasons cited above	0	0	2	0	2	0
Total failed kits	3 (11%)	0	7 (41%)	1 (4%)	4 (40%)	3 (9%)
Total kits tested	27	6	17	27	10	35

Figure1. Percentage of 2009 Johne's disease fecal proficiency panels by number of samples misclassified for the three culture methods (TREK liquid media, solid media and MGIT 960 liquid media) and direct PCR. A panel consisted of 25 fecal samples.



#### Pooling Panel Description

Twenty five samples were provided with instructions to pool 5 samples together, for a total of 5 pooled samples. <u>Table 4</u> lists the contents of each pool. Depending on the key (see table 7 at the end of this report) the vial numbers associated with each pool varied. Laboratories were required to correctly classify the negative pool and the two pools that contained heavy shedders. Laboratories were allowed to misclassify one of the two pooled samples containing only medium or low shedding samples. All laboratories submitting results in 2009 achieved a passing score.

Table 4. Composition of the 2009 Johne's Dise	ase Fecal	Pooling Proficiency Panel				
Positive sample(s)						
	cription					
Avg. CFU/						
Pool Description	Cow ID	tube*				
1 High, 4 Negative samples	392	7275				
1 Moderately High, 4 Negative samples	311	325				
2 Moderate, 3 Negative samples	18	14				
2 Low, 3 Negative samples	86	2				
5 Negative samples						
2 Low, 3 Negative samples	86	2				

\*Refers to the positive sample, not the pooled sample

<u>Table 5</u> further describes the performance of each method used in the pooled proficiency test. While all laboratories passed, liquid media continues to detect the highest number of positive pools. The only pool that was misclassified was the pool with 2 low shedding (cow 86) and 3 negative samples.

Table 5. Performance of each method used in the Johne's Disease 2009 Fecal Pooling Proficiency Panel. A total of 5 pooled samples were in each panel. All laboratories achieved a passing score.

	100% correctly	Misclassified 1	
	classified	sample	Total
Liquid Media	19 (95%)	1 (5%)	20
TREK	16	0	16
MGIT	2	1	3
Bactec	1	0	1
Solid Media	5 (83%)	1 (17%)	6
Direct PCR	15 (60%)	10 (40%)	25
Tetracore	12	5	17
Applied Biosystems	1	3	4
In House	2	2	4

Individual detailed results and statistics for each panel will be provided to individual laboratories around October 20, 2009. Certificates of approval will be mailed in November, 2009. A current listing of all the approved laboratories is available in the NVLS web site:

http://www.aphis.usda.gov/animal\_health/lab\_info\_services/approved\_labs.shtml .

Remaining sample vials from the2009 Proficiency Panel have been made available to laboratories for validation or research purposes. Available samples can be viewed in the reagents catalog under Johne's positive/negative fecal samples on the NVSL web site: http://www.aphis.usda.gov/animal health/lab info services/reagents.shtml.

Any questions or comments can be directed to:

Beth Harris, M.S., Ph.D. USDA/APHIS/NVSL Head, Mycobacteria /Brucella Section Office: 515.663.7362 Beth.N.Harris@aphis.usda.gov Suelee Robbe-Austerman, DVM, PhD USDA/APHIS/NVSL VMO, Mycobacteria/Brucella Section Office: 515.663.7837 Suelee.Robbe-Austerman@aphis.usda.gov

Vial #	1-20	21-40	41-60	61-80	81-100	101-120	121-140
1	14	420	86	247	339	ST10	492922
2	339	455	ST10	311	492903	420	392
3	247	86	446	ST10	14	492922*	455
4	311	ST10	14	420	339	392	ST10
5	ST10	446	339	455	247	455	420
6	455	14	247	86	311	247	392
7	247	5	311	ST10	ST10	311	492903
8	311	446	ST10	446	420	420	339
9	339	420	455	14	492922*	392	247
10	492903	392	247	5	392	492903	311
11	3000	492903	311	339	455	339	420
12	5	3000	339	420	247	492903	492903
13	86	5	492903	392	311	14	311
14	492922*	86	3000	492903	420	339	5
15	392	492922*	5	3000	392	247	14
16	14	392	86	5	492903	311	339
17	5	455	492922*	86	3000	5	247
18	446	247	392	492922*	5	446	ST10
19	420	311	14	392	86	455	3000
20	392	339	5	455	446	86	5
21	492903	492903	446	247	14	ST10	86
22	420	14	420	311	5	3000	446
23	455	339	392	339	ST10	5	14
24	86	247	492903	492903	455	86	86
25	ST10	311	420	14	86	14	455
26	446	ST10	455	446	446	446	446

**26 446** S110 455 **446** 

\* Sample was spiked with Mycobacterium fortuitum.

The bolded 446 sample was identified as the positive control

Table 7. 2009 Johne's Disease Pooled Fecal Proficie	ncy Panel key by kit number

	Pool Sample Number				
	Kit# Kit# Kit# Kit#				
Pool Description	1-20	21-40	41-50	51-60	
1 High, 4 Negative samples	1	4	5	2	
1 Moderately High, 4 Negative samples	3	3	4	1	
2 Moderate, 3 Negative samples	5	2	3	4	
2 Low, 3 Negative samples	2	5	1	3	
5 Negative samples	4	1	2	5	

## Upcoming Meetings and Events

May 2 – 5, 2010 USAHA Regional Meeting: Northeast at the Gideon Putman Resort Saratoga Springs, New York. USA <u>http://www.usaha.org/meetings/</u>

May 16 – 19, 2010 USAHA Regional Meeting: South at the Sheraton Gateway Hotel Atlanta, Georgia. USA <u>http://www.usaha.org/meetings/</u>

> June 8 – 10, 2010 USAHA Regional Meeting: North Central Omaha, Nebraska. USA http://www.usaha.org/meetings/

July 11 - 15, 2010 2010 Joint ADSA – PSA- AMPA – CSAS - ASAS Annual Meeting (JAM) Denver, Colorado. USA <u>http://adsa.asas.org/meetings/2010/</u>

> July 11 – 12, 2010 JDIP Annual Conference Denver, Colorado. USA (In conjunction with the JAM) http://jdip.org/

> July 28 – August 1, 2010 Cattle Industry Summer Conference (NCBA) in Denver, Colorado. USA http://www.beefusa.org/convsummerconference.aspx

August 2 – 4, 2010, Module I August 4 – 6, 2010, Module II Cornell Summer Program 2010 "Tools for Infectious Disease Epidemiology: Diagnosis, Modeling and Risk" College of Veterinary Medicine at Cornell University Ithaca, New York. USA http://www.vet.cornell.edu/education/ConEd.htm

August 19 - 21, 2010 43rd Annual Convention of the American Association of Bovine Practitioners in Albuquerque, New Mexico. USA <u>http://www.aabp.org/meeting/default.asp</u>

September 28 – October 2, 2010 World Dairy Expo at the Alliant Energy Center of Dane County in Madison, Wisconsin. USA http://www.worlddairyexpo.com/gen.home.cfm

October 26 - 28, 2010 NMPF/NDB/UDIA Annual Meeting at the Grand Sierra Resort, Reno, Nevada. USA http://www.nmpf.org/annual\_meeting

November 11 - 17, 2010 USAHA/AAVLD 114th Annual Meeting at the Minneapolis Hilton Hotel in Minneapolis, Minnesota. USA <u>http://www.usaha.org/meetings/</u>

### JD In Print – Producer Press

#### 

- o Dickrell, J., 2010. Rip, mix and feed. Dairy Today. March 10, 2020.
- IDEXX Laboratories Launches New Johne's Disease Test Approved For Use On Milk. Bovine Veterinarian Industry News. Apr. 6, 2010.
- o Jersey organizations allocate \$50,250 for Jersey-specific research in 2010. Progressive Dairyman. April 13, 2010.
- o Jones, C. and J. Heinrichs., 2010. Can We Pasteurize Colostrum? Bovine Veterinarian Industry News. Apr. 22, 2010.
- Angus Advisor Herd Management Tips. Angus Journal. p. 124. April 2010.

## JD In Print – Peer Review Johne's Disease Related Publications

- Adam K, Brülisauer F. The application of food safety interventions in primary production of beef and lamb: A review. Int J Food Microbiol. 2010 Jan 4. [Epub ahead of print]PMID: 20097438.
- Aly SS, Anderson RJ, Adaska JM, Jiang J, Gardner IA. Association between Mycobacterium avium subspecies paratuberculosis infection and milk production in two California dairies. J Dairy Sci. 2010 Mar;93(3):1030-40.PMID: 20172223.
- Badi FA, Haroon AI, Alluwaimi AM. The gammadelta cells as marker of non-seroconverted cattle naturally infected with Mycobacterium avium subspecies paratuberculosis. Res Vet Sci. 2010 Feb;88(1):72-6. Epub 2009 Jul 8.PMID: 19589549.
- Barkema HW, Green MJ, Bradley AJ, Zadoks RN. Invited review: The role of contagious disease in udder health. J Dairy Sci. 2009 Oct;92(10):4717-29. Review.PMID: 19762787.
- Basler T, Holtmann H, Abel J, Eckstein T, Baumer W, Valentin-Weigand P, Goethe R. Reduced transcript stabilization restricts TNF-alpha expression in RAW264.7 macrophages infected with pathogenic mycobacteria: evidence for an involvement of lipomannan. J Leukoc Biol. 2010 Jan;87(1):173-83.PMID: 19850884.
- **Bennett R, McClement I, McFarlane I.** An economic decision support tool for simulating paratuberculosis control strategies in a UK suckler beef herd. Prev Vet Med. 2010 Mar 1;93(4):286-93. Epub 2009 Dec 8.PMID: 20004032.
- Bezos J, de Juan L, Romero B, Alvarez J, Mazzucchelli F, Mateos A, Domínguez L, Aranaz A. Experimental infection with Mycobacterium caprae in goats and evaluation of immunological status in tuberculosis and paratuberculosis coinfected animals. Vet Immunol Immunopathol. 2010 Feb 15;133(2-4):269-75. Epub 2009 Aug 7.PMID: 19716181.
- Bosward KL, Dhand NK, Begg DJ, Thomson PC, Emery DL, Whittington RJ. Optimization of a whole blood gamma interferon assay for the detection of sheep infected with Mycobacterium avium subspecies paratuberculosis. J Vet Diagn Invest. 2010 Mar;22(2):210-7.PMID: 20224078.
- Bower K, Begg DJ, Whittington RJ. Optimisation of culture of Mycobacterium avium subspecies paratuberculosis from blood samples. J Microbiol Methods. 2010 Jan;80(1):93-9. Epub 2009 Nov 22.PMID: 19932719.
- Buddle BM, Wilson T, Denis M, Greenwald R, Esfandiari J, Lyashchenko KP, Liggett S, Mackintosh CG. Novel serological tests for the rapid diagnosis of bovine tuberculosis in farmed red deer (Cervus elaphus): a study of the sensitivity, specificity and confounding factors. Clin Vaccine Immunol. 2010 Feb 17. [Epub ahead of print]PMID: 20164247.
- **Bull TJ, Linedale R, Hinds J, Hermon-Taylor J.** A rhodanine agent active against non-replicating intracellular Mycobacterium avium subspecies paratuberculosis. Gut Pathog. 2009 Dec 23;1:25.PMID: 20030828.
- Carroll J, Douarre P, Coffey A, Buckley J, Cashman B, O'Farrell K, O'Mahony J. Optimization of a rapid viability assay for Mycobacterium avium subsp. paratuberculosis by using alamarBlue. Appl Environ Microbiol. 2009 Dec;75(24):7870-2. Epub 2009 Oct 16.PMID: 19837835.

- Carvalho IA, Silva A Jr, Campos VE, Moreira MA. Short communication: detection of Mycobacterium avium subspecies paratuberculosis by polymerase chain reaction in bovine milk in Brazil. J Dairy Sci. 2009 Nov;92(11):5408-10.PMID: 19841202.
- Castellanos E, Romero B, Rodríguez S, de Juan L, Bezos J, Mateos A, Domínguez L, Aranaz A. Molecular characterization of Mycobacterium avium subspecies paratuberculosis Types II and III isolates by a combination of MIRU-VNTR loci. Vet Microbiol. 2010 Jan 4. [Epub ahead of print]PMID: 20116185.
- Castellanos E, Aranaz A, De Buck J. Rapid identification and differentiation of Mycobacterium avium subspecies paratuberculosis types using real-time PCR and high resolution melt analysis of the MAP1506 gene. J Clin Microbiol. 2010 Feb 3. [Epub ahead of print]PMID: 20129970.
- Cayrou C, Turenne C, Behr MA, Drancourt M. Genotyping of Mycobacterium avium complex organisms using multispacer sequence typing. Microbiology. 2010 Mar;156(Pt 3):687-94. Epub 2009 Nov 19.PMID: 19926652.
- Chiappini E, de Martino M, Mangiantini F, Lionetti P. Crohn disease and mycobacterial infection in children: an intriguing relationship. J Pediatr Gastroenterol Nutr. 2009 Nov;49(5):550-8. Review.PMID: 19680150.
- Click RE, Van Kampen CL. Short communication: progression of Johne's disease curtailed by a probiotic. J Dairy Sci. 2009 Oct;92(10):4846-51.PMID: 19762800.
- Cook KL, Britt JS, Bolster CH. Survival of Mycobacterium avium subsp. paratuberculosis in biofilms on livestock watering trough materials. Vet Microbiol. 2010 Feb 24;141(1-2):103-9. Epub 2009 Aug 8.PMID: 19717251.
- Corn JL, Cartwright ME, Alexy KJ, Cornish TE, Manning EJ, Cartoceti AN, Fischer JR. Surveys for disease agents in introduced elk in Arkansas and Kentucky. J Wildl Dis. 2010 Jan;46(1):186-94.PMID: 20090032.
- D'Amore M, Lisi S, Sisto M, Cucci L, Dow CT. Molecular identification of Mycobacterium avium subspecies paratuberculosis in an Italian patient with Hashimoto's thyroiditis and Melkersson-Rosenthal syndrome. J Med Microbiol. 2010 Jan;59(Pt 1):137-9. Epub. No abstract available. PMID: 19797462.
- de Silva K, Begg D, Carter N, Taylor D, Di Fiore L, Whittington R. The early lymphocyte proliferation response in sheep exposed to Mycobacterium avium subsp. paratuberculosis compared to infection status. Immunobiology. 2010;215(1):12-25. Epub 2009 Mar 4.PMID: 19264377.
- Eisenberg SW, Nielen M, Santema W, Houwers DJ, Heederik D, Koets AP. Detection of spatial and temporal spread of Mycobacterium avium subsp. paratuberculosis in the environment of a cattle farm through bio-aerosols. Vet Microbiol. 2009 Dec 3. [Epub ahead of print]PMID: 20036081.
- Eltholth MM, Marsh VR, Van Winden S, Guitian FJ. Contamination of food products with Mycobacterium avium paratuberculosis: a systematic review. J Appl Microbiol. 2009 Oct;107(4):1061-71. Epub 2009 Mar 30.PMID: 19486426.
- Favila-Humara LC, Chávez-Gris GG, Carrillo-Casas EM, Hernández-Castro R. Mycobacterium avium subsp. paratuberculosis Detection in Individual and Bulk Tank Milk Samples from Bovine Herds and Caprine Flocks. Foodborne Pathog Dis. 2009 Nov 13. [Epub ahead of print]PMID: 19911881.
- Fecteau ME, Ross J, Tennent-Brown BS, Habecker PL, Sreevatsan S, Sweeney RW, Whitlock RH. Mycobacterium avium ssp. paratuberculosis high shedding in an adult female alpaca, and its implications for the rest of the herd. J Vet Intern Med. 2009 Nov-Dec;23(6):1311-4. No abstract available. PMID: 19909432.
- Foddai A, Elliott CT, Grant IR. Rapid assessment of the viability of Mycobacterium avium subsp. paratuberculosis cells after heat treatment, using an optimized phage amplification assay. Appl Environ Microbiol. 2010 Mar;76(6):1777-82. Epub 2010 Jan 22.PMID: 20097817.
- Gaukler SM, Linz GM, Sherwood JS, Dyer NW, Bleier WJ, Wannemuehler YM, Nolan LK, Logue CM. Escherichia coli, Salmonella, and Mycobacterium avium subsp. paratuberculosis in wild European starlings at a Kansas cattle feedlot. Avian Dis. 2009 Dec;53(4):544-51.PMID: 20095155.
- Gillan S, O'Brien R, Hughes AD, Griffin JF. Identification of immune parameters to differentiate disease states among sheep infected with Mycobacterium avium subsp. paratuberculosis. Clin Vaccine Immunol. 2010 Jan;17(1):108-17. Epub 2009 Nov 18.PMID: 19923568.
- Gioffré A, Echeverría-Valencia G, Arese A, Morsella C, Garbaccio S, Delgado F, Zumárraga M, Paolicchi F, Cataldi A, Romano MI. Characterization of the Apa antigen from M. avium subsp. paratuberculosis: a conserved Mycobacterium

antigen that elicits a strong humoral response in cattle. Vet Immunol Immunopathol. 2009 Dec 15;132(2-4):199-208. Epub 2009 Jun 24.PMID: 19616313.

- Hansen R, Thomson JM, El-Omar EM, Hold GL. The role of infection in the aetiology of inflammatory bowel disease. J Gastroenterol. 2010 Jan 15. [Epub ahead of print]PMID: 20076977.
- Janagama HK, Senthilkumar TM, Bannantine JP, Rodriguez GM, Smith I, Paustian ML, McGarvey JA, Sreevatsan S. Identification and functional characterization of the iron-dependent regulator (IdeR) of Mycobacterium avium subsp. paratuberculosis. Microbiology. 2009 Nov;155(Pt 11):3683-90. Epub 2009 Aug 14.PMID: 19684064.
- Juste RA, Alonso-Hearn M, Molina E, Geijo M, Vazquez P, Sevilla IA, Garrido JM. Significant reduction in bacterial shedding and improvement in milk production in dairy farms after the use of a new inactivated paratuberculosis vaccine in a field trial. BMC Res Notes. 2009 Nov 22;2:233.PMID: 19930604.
- Kadam M, Shardul S, Bhagath JL, Tiwari V, Prasad N, Goswami PP. Coexpression of 16.8 kDa antigen of Mycobacterium avium paratuberculosis and murine gamma interferon in a bicistronic vector and studies on its potential as DNA vaccine. Vet Res Commun. 2009 Oct;33(7):597-610. Epub 2009 Feb 6.PMID: 19199070.
- Kaur P, Filia G, Singh SV, Patil PK, Sandhu KS. Molecular detection and typing of Mycobacterium avium subspecies paratuberculosis from milk samples of dairy animals. Trop Anim Health Prod. 2010 Jan 16. [Epub ahead of print]PMID: 20082257.
- Khan FA, Chaudhry ZI, Ali MI, Khan S, Mumtaz N, Ahmad I. Detection of Mycobacterium avium subsp. paratuberculosis in tissue samples of cattle and buffaloes. Trop Anim Health Prod. 2010 Apr;42(4):633-8. Epub 2009 Oct 9.PMID: 19816784.
- Kirkwood CD, Wagner J, Boniface K, Vaughan J, Michalski WP, Catto-Smith AG, Cameron DJ, Bishop RF. Mycobacterium avium subspecies paratuberculosis in children with early-onset Crohn's disease. Inflamm Bowel Dis. 2009 Nov;15(11):1643-55.PMID: 19462429.
- Koets A, Santema W, Mertens H, Oostenrijk D, Keestra M, Overdijk M, Labouriau R, Franken P, Frijters A, Nielen M, Rutten V. Susceptibility to paratuberculosis infection in cattle is associated with single nucleotide polymorphisms in Toll-like receptor 2 which modulate immune responses against Mycobacterium avium subspecies paratuberculosis. Prev Vet Med. 2010 Mar 1;93(4):305-15. Epub 2009 Dec 14.PMID: 20005587.
- Korou LM, Liandris E, Gazouli M, Ikonomopoulos J. Investigation of the association of the SLC11A1 gene with resistance/sensitivity of goats (Capra hircus) to paratuberculosis. Vet Microbiol. 2010 Jan 28. [Epub ahead of print]PMID: 20188496.
- Kostoulas P, Nielsen SS, Browne WJ, Leontides L. A Bayesian Weibull survival model for time to infection data measured with delay. Prev Vet Med. 2010 Feb 1. [Epub ahead of print]PMID: 20129683.
- Krishnan MY, Manning EJ, Collins MT. Effects of interactions of antibacterial drugs with each other and with 6mercaptopurine on in vitro growth of Mycobacterium avium subspecies paratuberculosis. J Antimicrob Chemother. 2009 Nov;64(5):1018-23. Epub 2009 Sep 16.PMID: 19759042.
- Kumar S, Singh SV, Singh AV, Singh PK, Sohal JS, Maitra A. Wildlife (Boselaphus tragocamelus)-small ruminant (goat and sheep) interface in the transmission of 'Bison type' genotype of Mycobacterium avium subspecies paratuberculosis in India. Comp Immunol Microbiol Infect Dis. 2010 Mar;33(2):145-59. Epub 2008 Sep 20.PMID: 18805585.
- Lamont EA, Sreevatsan S. Paradigm redux-Mycobacterium avium subspecies paratuberculosis-macrophage interactions show clear variations between bovine and human physiological body temperatures. Microb Pathog. 2010 Feb 25. [Epub ahead of print]PMID: 20188816.
- Lee KW, Jung BY. Seroprevalence of Mycobacterium avium subspecies paratuberculosis in cattle in Korea. Vet Rec. 2009 Nov 28;165(22):661-2. No abstract available. PMID: 19946127.
- Lilenbaum W, Marassi CD, Varges R, Medeiros L, Oelemann WM, Fonseca LS. Occurrence of false-positive results in three paratuberculosis - ELISAs performed in a tuberculous herd. Vet Res Commun. 2009 Oct;33(7):693-9. Epub 2009 Mar 31.PMID: 19333771.
- Mackintosh CG, Clark RG, Thompson B, Tolentino B, Griffin JF, de Lisle GW. Age susceptibility of red deer (Cervus elaphus) to paratuberculosis. Vet Microbiol. . [Epub ahead of print] PMID: 20005645.

- Messam LL, O'Brien JM, Hietala SK, Gardner IA. Effect of changes in testing parameters on the cost-effectiveness of two pooled test methods to classify infection status of animals in a herd. Prev Vet Med. 2010 Mar 4. [Epub ahead of print]PMID: 20207038.
- Möbius P, Fritsch I, Luyven G, Hotzel H, Köhler H. Unique genotypes of Mycobacterium avium subsp. paratuberculosis strains of Type III. Vet Microbiol. 2009 Nov 18;139(3-4):398-404. Epub 2009 Jun 21.PMID: 19647378.
- Mutharia LM, Klassen MD, Fairles J, Barbut S, Gill CO. Mycobacterium avium subsp. paratuberculosis in muscle, lymphatic and organ tissues from cows with advanced Johne's disease. Int J Food Microbiol. 2010 Jan 1;136(3):340-4. Epub 2009 Oct 30.PMID: 19923028.
- Nagata R, Kawaji S, Minakawa Y, Wang X, Yanaka T, Mori Y. A specific induction of interleukin-10 by the Map41 recombinant PPE antigen of Mycobacterium avium subsp. paratuberculosis. Vet Immunol Immunopathol. 2009 Nov 13. [Epub ahead of print]PMID: 20018382.
- **Okura H, Nielsen SS, Toft N.** Prevalence of Mycobacterium avium subsp. paratuberculosis infection in adult Danish nondairy cattle sampled at slaughter. Prev Vet Med. 2010 Feb 11. [Epub ahead of print]PMID: 20153536.
- Okwumabua O, Shull E, O'Connor M, Moua TV, Danz T, Strelow K. Comparison of three methods for extraction of Mycobacterium avium subspecies paratuberculosis DNA for polymerase chain reaction from broth-based culture systems. J Vet Diagn Invest. 2010 Jan;22(1):67-9.PMID: 20093685.
- Pakhomova S, Gao B, Boeglin WE, Brash AR, Newcomer ME. The structure and peroxidase activity of a 33-kDa catalase-related protein from Mycobacterium avium ssp. paratuberculosis. Protein Sci. 2009 Dec;18(12):2559-68.PMID: 19827095.
- Pant SD, Schenkel FS, Verschoor CP, You Q, Kelton DF, Moore SS, Karrow NA. A principal component regression based genome wide analysis approach reveals the presence of a novel QTL on BTA7 for MAP resistance in holstein cattle. Genomics. 2010 Mar;95(3):176-82. Epub 2010 Jan 7.PMID: 20060464.
- Pillars RB, Grooms DL, Kaneene JB. Longitudinal study of the distribution of Mycobacterium avium subsp. paratuberculosis in the environment of dairy herds in the Michigan Johne's disease control demonstration herd project. Can Vet J. 2009 Oct;50(10):1039-46.PMID: 20046602.
- Pithua P, Wells SJ, Godden SM, Sreevatsan S, Stabel JR. Experimental validation of a nested polymerase chain reaction targeting the genetic element ISMAP02 for detection of Mycobacterium avium subspecies paratuberculosis in bovine colostrum. J Vet Diagn Invest. 2010 Mar;22(2):253-6.PMID: 20224087.
- Pithua P, Wells SJ, Sreevatsan S, Godden SM. Lack of evidence for fecal shedding of Mycobacterium avium subsp. paratuberculosis in calves born to fecal culture positive dams. Prev Vet Med. 2010 Feb 1;93(2-3):242-5. Epub 2009 Dec 16.PMID: 20015557.
- Platt R, Thoen CO, Stalberger RJ, Chiang YW, Roth JA. Evaluation of the cell-mediated immune response to reduced doses of Mycobacterium avium ssp. paratuberculosis vaccine in cattle. Vet Immunol Immunopathol. 2010 Feb 11. [Epub ahead of print]PMID: 20193967.
- Plattner BL, Doyle RT, Hostetter JM. Gamma-delta T cell subsets are differentially associated with granuloma development and organization in a bovine model of mycobacterial disease. Int J Exp Pathol. 2009 Dec;90(6):587-97. Epub 2009 Sep 15.PMID: 19758417.
- Pott J, Basler T, Duerr CU, Rohde M, Goethe R, Hornef MW. Internalization-dependent recognition of Mycobacterium avium ssp. paratuberculosis by intestinal epithelial cells. Cell Microbiol. 2009 Dec;11(12):1802-15. Epub 2009 Aug 13.PMID: 19681906.
- Radomski N, Thibault VC, Karoui C, de Cruz K, Cochard T, Gutiérrez C, Supply P, Biet F, Boschiroli ML. Genotypic diversity of Mycobacterium avium subspecies from human and animal origins, studied by MIRU-VNTR and IS1311 RFLP typing methods. J Clin Microbiol. 2010 Jan 27. [Epub ahead of print]PMID: 20107094.
- Raizman EA, Fetrow JP, Wells SJ. Loss of income from cows shedding Mycobacterium avium subspecies paratuberculosis prior to calving compared with cows not shedding the organism on two Minnesota dairy farms. J Dairy Sci. 2009 Oct;92(10):4929-36.PMID: 19762809.

- Sasikala M, Reddy DN, Pratap N, Sharma SK, Balkumar PR, Sekaran A, Banerjee R, Reddy DB. Absence of Mycobacterium avium ss paratuberculosis-specific IS900 sequence in intestinal biopsy tissues of Indian patients with Crohn's disease. Indian J Gastroenterol. 2010 Jan 4. [Epub ahead of print]PMID: 20047102.
- Scandurra GM, de Lisle GW, Cavaignac SM, Young M, Kawakami RP, Collins DM. Assessment of live candidate vaccines for paratuberculosis in animal models and macrophages. Infect Immun. 2010 Mar;78(3):1383-9. Epub 2009 Dec 28.PMID: 20038535.
- Settles M, Zanella R, McKay SD, Schnabel RD, Taylor JF, Whitlock R, Schukken Y, Van Kessel JS, Smith JM, Neibergs H. A whole genome association analysis identifies loci associated with Mycobacterium avium subsp. paratuberculosis infection status in US holstein cattle. Anim Genet. 2009 Oct;40(5):655-62. Epub 2009 Apr 24.PMID: 19422364.
- Shankar H, Singh SV, Singh PK, Singh AV, Sohal JS, Greenstein RJ. Presence, characterization, and genotype profiles of Mycobacterium avium subspecies paratuberculosis from unpasteurized individual and pooled milk, commercial pasteurized milk, and milk products in India by culture, PCR, and PCR-REA methods. Int J Infect Dis. 2010 Feb;14(2):e121-6. Epub 2009 Jul 2.PMID: 19576834.
- Shin AR, Kim HJ, Cho SN, Collins MT, Manning EJ, Naser SA, Shin SJ. Identification of seroreactive proteins in the culture filtrate antigen of Mycobacterium avium ssp. paratuberculosis human isolates to sera from Crohn's disease patients. FEMS Immunol Med Microbiol. 2010 Feb;58(1):128-37. Epub 2009 Oct 1.PMID: 19878316.
- Shin SJ, Lee SS, Manning EJ, Collins MT. Production of and applications for a polyclonal IgY diagnostic reagent specific for Mycobacterium avium subsp. paratuberculosis. J Microbiol. 2009 Oct;47(5):600-9. Epub 2009 Oct 24.PMID: 19851733.
- Sibartie S, O'Hara AM, Ryan J, Fanning A, O'Mahony J, O'Neill S, Sheil B, O'Mahony L, Shanahan F. Modulation of pathogen-induced CCL20 secretion from HT-29 human intestinal epithelial cells by commensal bacteria. BMC Immunol. 2009 Oct 8;10:54.PMID: 19814810.
- Sibartie S, Scully P, Keohane J, O'Neill S, O'Mahony J, O'Hanlon D, Kirwan WO, O'Mahony L, Shanahan F. Mycobacterium avium subsp. Paratuberculosis (MAP) as a modifying factor in Crohn's disease. Inflamm Bowel Dis. 2010 Feb;16(2):296-304.PMID: 19824071.
- Smeed JA, Watkins CA, Gossner AG, Hopkins J. Expression profiling reveals differences in immuno-inflammatory gene expression between the two disease forms of sheep paratuberculosis. Vet Immunol Immunopathol. 2009 Dec 5. [Epub ahead of print]PMID: 20053460.
- Sohal JS, Singh SV, Singh PK, Singh AV. On the evolution of 'Indian Bison type' strains of Mycobacterium avium subspecies paratuberculosis. Microbiol Res. 2010 Feb 28;165(2):163-71. Epub 2009 May 12.PMID: 19442500.
- Soumya MP, Pillai RM, Antony PX, Mukhopadhyay HK, Rao VN. Comparison of faecal culture and IS900 PCR assay for the detection of Mycobacterium avium subsp. paratuberculosis in bovine faecal samples. Vet Res Commun. 2009 Oct;33(7):781-91. Epub 2009 May 14.PMID: 19440851.
- Stevenson K, Alvarez J, Bakker D, Biet F, de Juan L, Denham S, Dimareli Z, Dohmann K, Gerlach GF, Heron I, Kopecna M, May L, Pavlik I, Sharp JM, Thibault VC, Willemsen P, Zadoks RN, Greig A. Occurrence of Mycobacterium avium subspecies paratuberculosis across host species and European countries with evidence for transmission between wildlife and domestic ruminants. BMC Microbiol. 2009 Oct 7;9:212.PMID: 19811631.
- **Tang NS, Li HQ, Tang ML.** A comparison of methods for the construction of confidence interval for relative risk in stratified matched-pair designs. Stat Med. 2010 Jan 15;29(1):46-62.PMID: 19856277.
- Toft N, Nielsen SS. Summary receiver operating characteristics (SROC) and hierarchical SROC models for analysis of diagnostic test evaluations of antibody ELISAs for paratuberculosis. Prev Vet Med. 2009 Nov 15;92(3):249-55. Epub 2009 Sep 11.PMID: 19747743.
- Vanleeuwen JA, Haddad JP, Dohoo IR, Keefe GP, Tiwari A, Tremblay R. Associations between reproductive performance and seropositivity for bovine leukemia virus, bovine viral-diarrhea virus, Mycobacterium avium subspecies paratuberculosis, and Neospora caninum in Canadian dairy cows. Prev Vet Med. 2010 Apr 1;94(1-2):54-64. Epub 2009 Dec 16.PMID: 20015556.

- Vanleeuwen JA, Haddad JP, Dohoo IR, Keefe GP, Tiwari A, Scott HM. Risk factors associated with Neospora caninum seropositivity in randomly sampled Canadian dairy cows and herds. Prev Vet Med. 2010 Feb 1;93(2-3):129-38. Epub 2009 Dec 16.PMID: 20018395.
- Van Rhijn I, Nguyen TK, Michel A, Cooper D, Govaerts M, Cheng TY, van Eden W, Moody DB, Coetzer JA, Rutten V, Koets AP. Low cross-reactivity of T-cell responses against lipids from Mycobacterium bovis and M. avium paratuberculosis during natural infection. Eur J Immunol. 2009 Nov;39(11):3031-41.PMID: 19688747.
- Waddell L, Rajić A, Sargeant J, Parker S, Deckert A, McEwen S. The methodological soundness of literature reviews addressing three potential zoonotic public health issues. Zoonoses Public Health. 2009 Nov;56(9-10):477-89. Epub 2009 Jan 17.PMID: 19175572.
- Weber MF, Verhoeff J, van Schaik G, van Maanen C. Evaluation of Ziehl-Neelsen stained faecal smear and ELISA as tools for surveillance of clinical paratuberculosis in cattle in the Netherlands. Prev Vet Med. 2009 Nov 15;92(3):256-66. Epub 2009 Sep 16.PMID: 19762098.
- Whittington RJ, Waldron A, Warne D. Thermal inactivation profiles of Mycobacterium avium subsp. paratuberculosis in lamb skeletal muscle homogenate fluid. Int J Food Microbiol. 2010 Jan 31;137(1):32-9. Epub 2009 Oct 21.PMID: 19896745.
- Zhao H, Liu H, Du Y, Liu S, Ni H, Wang Y, Wang C, Si W, Yang J, Ling J. Development and evaluation of an indirect enzyme-linked immunosorbent assay for the detection of antibodies against Campylobacter fetus in cattle. Res Vet Sci. 2009 Dec 23. [Epub ahead of print]PMID: 20035963.

## JD In Print – Peer Review Crohn's Disease Related Publications

- AbdullGaffar B. Granulomatous diseases and granulomas of the appendix. Int J Surg Pathol. 2010 Feb;18(1):14-20.PMID: 20106828.
- **Carpinteri R, Patelli I, Casanueva FF, Giustina A.** Pituitary tumours: inflammatory and granulomatous expansive lesions of the pituitary. Best Pract Res Clin Endocrinol Metab. 2009 Oct;23(5):639-50. Review.PMID: 19945028.
- **Culligan EP, Hill C, Sleator RD.** Probiotics and gastrointestinal disease: successes, problems and future prospects. Gut Pathog. 2009 Nov 23;1(1):19.PMID: 19930635.
- o Deretic V. Autophagy in infection. Curr Opin Cell Biol. 2010 Jan 28. [Epub ahead of print]PMID: 20116986.
- Donoghue HD, Holton J. Intestinal tuberculosis. Curr Opin Infect Dis. 2009 Oct;22(5):490-6. Review.PMID: 19623062.
- Doss M, White MR, Tecle T, Hartshorn KL. Human defensins and LL-37 in mucosal immunity. J Leukoc Biol. 2010 Jan;87(1):79-92. Epub 2009 Oct 6. Review.PMID: 19808939.
- **Engel MA, Neurath MF.** New pathophysiological insights and modern treatment of IBD. J Gastroenterol. 2010 Mar 9. [Epub ahead of print]PMID: 20213337.
- **Epple HJ.** Therapy- and non-therapy-dependent infectious complications in inflammatory bowel disease. Dig Dis. 2009;27(4):555-9. Epub 2009 Nov 4. Review.PMID: 19897974.
- **García-Erce JA, Gomollón F, Muñoz M.** Blood transfusion for the treatment of acute anaemia in inflammatory bowel disease and other digestive diseases. World J Gastroenterol. 2009 Oct 7;15(37):4686-94. Review.PMID: 19787832.
- Garrido E, Sanromán AL, Rodríguez-Gandía MA, Rivero M, Royuela A, Moreira V, Milicua JM. Optimized protocol for diagnosis of acute ileitis. Clin Gastroenterol Hepatol. 2009 Nov;7(11):1183-8. Epub 2009 Jul 22.PMID: 19631291.
- Gearry RB, Richardson AK, Frampton CM, Dodgshun AJ, Barclay ML. Population-based cases control study of inflammatory bowel disease risk factors. J Gastroenterol Hepatol. 2010 Feb;25(2):325-33. Epub 2010 Jan 14.PMID: 20074146.
- Hansen R, Thomson JM, El-Omar EM, Hold GL. The role of infection in the aetiology of inflammatory bowel disease. J Gastroenterol. 2010 Jan 15. [Epub ahead of print]PMID: 20076977.

- Hawryluk EB, Izikson L, English JC 3rd. Non-Infectious Granulomatous Diseases of the Skin and their Associated Systemic Diseases: An Evidence-Based Update to Important Clinical Questions. Am J Clin Dermatol. 2010 Feb 25. doi: 10.2165/11530080-000000000-00000. [Epub ahead of print]PMID: 20184390.
- lerardi E, Hassan C, Zullo A, De Francesco V, Valle ND, Prencipe S, Rosania R, Morini S, Panella C. Segmental colitis associated with diverticula: a rare clinical entity and a new challenge for the gastroenterologist. Dig Liver Dis. 2009 Nov;41(11):794-7. Epub 2009 May 31.PMID: 19487168.
- Ivison SM, Himmel ME, Hardenberg G, Wark PA, Kifayet A, Levings MK, Steiner TS. TLR5 is not required for flagellin-mediated exacerbation of DSS colitis. Inflamm Bowel Dis. 2010 Mar;16(3):401-9.PMID: 19774646.
- Kirkwood CD, Wagner J, Boniface K, Vaughan J, Michalski WP, Catto-Smith AG, Cameron DJ, Bishop RF. Mycobacterium avium subspecies paratuberculosis in children with early-onset Crohn's disease. Inflamm Bowel Dis. 2009 Nov;15(11):1643-55.PMID: 19462429.
- Loddenkemper C. Diagnostic standards in the pathology of inflammatory bowel disease. Dig Dis. 2009;27(4):576-83.
  Epub 2009 Nov 4. Review.PMID: 19897978.
- Maródi L, Casanova JL. Novel primary immunodeficiencies relevant to internal medicine: novel phenotypes. J Intern Med. 2009 Dec;266(6):502-6.PMID: 19930097.
- Miura T, Shimizu T, Nakamura J, Yamada S, Yanagi M, Usuda H, Emura I, Takahashi T. A case of intestinal tuberculosis associated with ileo-ileal fistula. Nippon Shokakibyo Gakkai Zasshi. 2010 Mar;107(3):416-26.PMID: 20203445.
- Morbach H, Dick A, Beck C, Stenzel M, Müller-Hermelink HK, Raab P, Girschick HJ. Association of chronic nonbacterial osteomyelitis with Crohn's disease but not with CARD15 gene variants. Rheumatol Int. 2010 Mar;30(5):617-21. Epub 2009 Jul 5.PMID: 19579029.
- Nathan DG, Orkin SH. Musings on genome medicine: Crohn's disease. Genome Med. 2009 Nov 5;1(11):103.PMID: 19891793.
- Neye H, Ensberg D, Rauh P, Peitz U, Mönkemüller K, Treiber G, Klauck S, Malfertheiner P, Rickes S. Impact of high-resolution transabdominal ultrasound in the diagnosis of complications of Crohn's disease. Scand J Gastroenterol. 2010 Mar 17. [Epub ahead of print]PMID: 20235899.
- Owczarek D, Cibor D, Mach T. Asymmetric dimethylarginine (ADMA), symmetric dimethylarginine (SDMA), arginine, and 8-iso-prostaglandin F2alpha (8-iso-PGF2alpha) level in patients with inflammatory bowel diseases. Inflamm Bowel Dis. 2010 Jan;16(1):52-7.PMID: 19575355.
- Quesniaux VF, Jacobs M, Allie N, Grivennikov S, Nedospasov SA, Garcia I, Olleros ML, Shebzukhov Y, Kuprash D, Vasseur V, Rose S, Court N, Vacher R, Ryffel B. TNF in Host Resistance to Tuberculosis Infection. Curr Dir Autoimmun. 2010;11:157-179. Epub 2010 Feb 18.PMID: 20173394.
- Stevenson K, Alvarez J, Bakker D, Biet F, de Juan L, Denham S, Dimareli Z, Dohmann K, Gerlach GF, Heron I, Kopecna M, May L, Pavlik I, Sharp JM, Thibault VC, Willemsen P, Zadoks RN, Greig A. Occurrence of Mycobacterium avium subspecies paratuberculosis across host species and European countries with evidence for transmission between wildlife and domestic ruminants. BMC Microbiol. 2009 Oct 7;9:212.PMID: 19811631.
- **Yazdanyar S, Nordestgaard BG.** NOD2/CARD15 genotype and common gastrointestinal diseases in 43,600 individuals. J Intern Med. 2010 Feb;267(2):228-36. Epub 2009 Jun 27.PMID: 19570052.

JDIP Contact Information Phone: (814) 867-0261 Fax: (814) 863-6699 Web: www.jdip.org Email: help@jdip.org